

What is claimed is:

1. An infant sleep support device comprising:  
an adjustable strap member; and  
a plurality of movement restrictors releasably securable to said adjustable strap member.
2. The infant sleep support device of claim 1 wherein said plurality of movement restrictors is releasably securable to said adjustable strap member by hook and loop fasteners.
3. The infant sleep support device of claim 1 wherein said plurality of movement restrictors is releasably securable to said adjustable strap member by snaps.
4. The infant sleep support device of claim 1 wherein said plurality of movement restrictors is inflatable.
5. An infant sleep support device comprising:  
a clothing article;  
a first attachment member positioned on said clothing article;

a second attachment member positioned on said clothing article opposite said first attachment member;

a first movement restrictor having a third attachment member for releasably engaging said first attachment member; and

a second movement restrictor having a fourth attachment member for releasably engaging said second attachment member.

6. The infant sleep support device of claim 5 wherein said third attachment member is releasably engaged to said first attachment member by a hook and loop fastener.

7. The infant sleep support device of claim 5 wherein said third attachment member is releasably engaged to said first attachment member by a snap.

8. The infant sleep support device of claim 5 wherein said fourth attachment member is releasably engaged to said first attachment member by a hook and loop fastener.

9. The infant sleep support device of claim 5 wherein said fourth attachment member is releasably engaged to said first attachment member by a snap.

10. The infant sleep support device of claim 5 wherein said first movement restrictor is inflatable.

11. The infant sleep support device of claim 5 wherein said second movement restrictor is inflatable.

12. A method for forming an infant sleep support, said method including the steps of:

attaching a first attachment member to a clothing article;

attaching a second attachment member to the clothing article opposite the first attachment member; and

providing at least one movement restrictor having a third attachment member for releasably engaging the first or second attachment member.